INDEX.

	Page.
Aboma lactipes	442
snyderi	442
Abryois azumæ	449
Abudefduf amabilis	419
antjerius	419
bengalensis	419
clarki	419
coelestinus	505
glaucus	419, 505
rex	504
rhomaleus	505
richardsoni	504
saxatilis	419
sexfasciatus	419
sordidus	418, 504
turcheslus	505
zonatus	419, 505
Acalles bifasciatus	160
Acanthocepola krusensterni	418
Acanthochætodon	607
Acanthocybium solandri	410
Acanthophora muelleri	89
Acasta idiopoma	294
pectinipes	294
Achatodes metaleuca	65
Achellognathus limbatum	404
Achtheinus denatus	233, 238
pinguis	235
Acipenser mikadoi	402
Acnathogobius flavimanus	444
Acoloithus erythrozona	100
Acossus leucegchytus	105
Adelocephala xanthochroia	49
Adscita morelia	99
Aemasia lichenosa	407
Aenopiegimorpha phytonomi	147
Aesopia cornuta	441
zebra	611
Aetobatis tobijei	480
Africa, notes on orthoptera from	451
Agapema copaxoides	46
Agatha virgo	262
Agonomalus jordani	436
proboscidalis	435
Agonostomus bryanti	596
monticola	597
Agrammus agrammus	429
Agrilus vittaticollis	646
Agylla idolon	50
Ainosus geneionemus	445
Albula vulpes	402
Alcichthys alcicornis	432
Alcis cretafunda	92
elpidata	93
interbrunnea	93
Alectis ciliaris	411, 496
indicus	600
major	411, 496
Alectrias benjamini	449
Alepas navigator	291
spectrum	291
Alticus ellipes	448, 518
margaritarius	448
novemmaculosis	518
Alutera monoceros	512
Amate japonica	440
Ambassis lala	413
nalua	604
Amblygaster leiogaster	590
melanostictum	402
Amblygobius naraharæ	442, 515
Amblys bicornis	215
Amia amboinensis	604
erythrina	497
lateralis	497
lineata	412
marginata	412
nigra	412
notata	412
novemfasciata	497
quadrifasciata	604
savayensis	497
semilineata	412
unicolor	412
Amiana endopolia	64
Ammalo paranomon	54
Ammodytes personatus	449
Ammosphærulina	228
adhærens	229
Amorphota orygiæ	631
Amphriprion frenatus	504
Amplypterus globifer	45
Anampses cæruleopunctatus	506
Anastatus colemani	6
stantoni	7
vuilleti	5
Anchovia browni	174
commersonii	592
indica	592
Ancylostomia roseltinctella	105
Andrena nigriventris	613
saundersi	613
Anempheres diaphaniæ	631
(Angitia) sagaritis websteri	644

Page.

Anguilla japonica..... 406
mauritiana..... 595
sidat..... 595
Anilocra laticauda..... 190
leachii..... 190
mexicana..... 190
Anisitsia..... 632
Annemoria bistriaria..... 90
orthogramma..... 90
Anodontopsis angustifrons..... 384, 385, 390
Anodontostoma chacunda..... 592
(Anomalon) Eremotylus marginatus..... 637
Antaplaga hemicrocea..... 67
melanocrypta..... 68
plesioglauca..... 68
pyronæa..... 68
stigmatosa..... 67
Antarchæa flacillalis..... 81
obliqualis..... 80
oma..... 81
Antennarius altipinnis..... 204
rosaceus..... 203
subteres..... 205
tridens..... 450
Anthias margaritaceus..... 414
nobilis..... 414
Anthonomus grandis..... 155
mæphonus..... 167
vestitus..... 155, 618, 624, 629, 630
Anuræa..... 181
Apanteles (Apanteles) aristotelæ..... 613
braunæ..... 614
edwardsii..... 615
epinotiæ..... 614
fumiferanæ..... 139, 148, 149
gelechiæ..... 615
lithocolletidis..... 615
plesius..... 615
polychrosidis..... 615
prodeniæ..... 139
taragamæ..... 140
tischeriæ..... 140
trachynotus..... 616
aristoteliæ..... 615
cassianus..... 626
edwardsii..... 615
fumiferanæ..... 615
prodeniæ..... 140, 614
tischeriæ..... 140
(Protapanteles) cassianus..... 625
colemani..... 143
crambi..... 626
creatonoti..... 144
cushmani..... 144, 145
electræ..... 145
feltiæ..... 625
hesperidivorus..... 626
læviceps..... 626
papilionis..... 145
pholisoræ..... 144, 145
pyraustæ..... 626
stauropi..... 146
(Pseudapanteles) choreuti..... 627
sesiæ..... 146
Apatela raipdan..... 62

Page.

Apatelodes batima..... 83
bunca..... 83
doramia..... 82
heptaloba..... 84
hiantha..... 82
lescamia..... 82
milma..... 83
Aphidius colemani..... 141
rosæ..... 141
Apicia distycharia..... 88
ischyrizoaria..... 88
Apis helvola..... 613
Apistus evolans..... 428
venenans..... 428
Apogonichthys carinatus..... 412
nafæ..... 407
Aprion virescens..... 409
Apseudes acutifrons..... 584
antarcticus..... 584
armatus..... 584
australis..... 584
cæcus..... 584
echinatus..... 584
espinosus..... 584
gracilis..... 584
grossimanus..... 584
hastifrons..... 584
hibernicus..... 584
intermedius..... 584
latreillii..... 584
latus..... 584
meridionalis..... 583
multicarinatus..... 584
obtusifrons..... 584
propinquus..... 584
rikiteanus..... 584
robustus..... 584
sculptus..... 584
securati..... 584
simplicirostris..... 584
spectabilis..... 584
spinosus..... 584
talpa..... 584
tenuimanus..... 584
timaruvius..... 584
triangulatus..... 584
uncidigitatus..... 584
Apseudopsis..... 584
Archips cerasivorana..... 624
Aretoscopus japonicus..... 445
Ardea chloroptura..... 537
virescens..... 537
Ardonipsa..... 50
melas..... 50
Arelisicus interruptus..... 441
joyneri..... 441
Argulus ingens..... 233
Aristotelia fungivorella..... 614
Artibeus jamaicensis..... 26
Ascogaster carpocapsæ..... 617
olethreuti..... 617
Asellus cestrum..... 190
Aseraggodes kobensis..... 440
Aspasma minima..... 447, 517
misakia..... 447, 517

	Page.
Aspidomorpha miliaris	8
Asternaulax	632
fiskei	632
Astrabe lacticella	444
Atanycolides	617
(Ateleuti) Eripternus elongatus	638
Atherina duodecimalis	596
forskalii	596
Aulacocephalus temmincki	413
Aulichthys japonicus	408
Automeris colenon	47
cogena	48
dandemon	47
melmon	47
thyreon	48
Auxis thazard	603
Avicula dispar	391, 392
rectangularis	393
Awaous genivittatus	442
Azuma emnion	448
Balistapus aculeatus	512
undulatus	512
Balistes chrysopterus	512
fuscus	511
niger	511
vidua	511
Barbodes maculatus	593
goniosoma	593
Barnacles from the Philippine Archipelago and China Sea, diagnoses of new	291
Baronia brevicornis	44
Bartsch, Paul, Additions to the West American Pyramidellid mollusk fauna, with descriptions of new species	261
A zoogeographic study based on the Pyramidellid mollusks of the west coast of America	297
Bathycrinus	195, 197
Bathymetis spinicoxus	149
Bathystoma rimator	190
Batrachium	184
Batrachomœus trispinosus	609
Bats, a small collection of, from Panama	21
Bdelloida	184
Bean, Barton A., and Alfred C. Weed, Notes on a collection of fishes from Java, made by Owen Bryant and William Palmer in 1909, with description of a new species	587
Beauchamp, P. de, Instructions for collecting and fixing rotifers in bulk	181
Bees and Ichneumon-flies, contributions to our knowledge of	613
Bees of the genus Osmia found in North America	215
Belechroma tiostigmaria	91
Belone annulata	596
strongylura	596
Benjaminia	633
Bero elegans	434
zanclus	434
Beryx splendens	410
Blepharis major	600
sutor	600
Blepsias dracicus	434
Boulengerina taeniura	413
Brachionus	181
Brachixiphosoma	147
Brachyopsis rostratus	436
Bracon atripectus	625
bimaculatus	624
binotatus	624
epicus	621
rugosiventris	617
Brahmin temple, model of	640
Bristica	67
noela	67
Bryant, Owen, fishes from Java, collected by William Palmer and	587
Bryostemma polyactocephalum	448
Bryttosus kawamebari	413
Burke, C. V., and C. H. Gilbert, New cyclogasterid fishes from Japan	351
Butleria æa	44
Butorides brunescens	530, 554, 555
virescens	529, 530, 532, 555, 574
anthonyi	531, 532, 543, 547, 548
bahamensis	530, 531, 555–556, 558, 561, 562, 563, 566, 568, 570, 572
barbadensis	531, 567, 568, 570, 572
cristophorensis	561, 563, 566, 568, 570, 572
cubanus	531, 556, 557, 562, 563, 564, 566, 569, 572, 574
curacensis	573, 574
dominicanus	532, 562, 564, 566, 568, 570, 572, 574
eremonomus	531, 546, 548, 556
frazari	529, 531, 542, 544, 552, 553, 554
grenadensis	531, 568, 571, 574
hypernotius	531, 532, 536, 549, 550, 551, 553, 554, 555, 558, 564, 571, 574
lucianus	531, 563, 565, 567, 568, 571, 574
maculatus	529, 531, 564, 565, 568, 570, 571, 574
margaritophilus	553, 554, 555
mentus	531, 536, 548, 556, 563
saturatus	531, 552, 554
tobagensis	571, 573
virescens	529, 530, 531, 532, 533, 535, 536, 537, 542, 543, 544, 547, 548, 549, 551, 553, 555, 556, 557, 558
Caccecia cerasivorana	624
Cænosynteles	91
haploaris	91, 92
Cæsio cærulaureus	499
chrysozonus	499
cœrulaureus	606
erythrogaster	499
lunaris	606
Calidomantis büttneri	464
hosia	464
Calidota albaticosta	55
gemma	55
momis	55

	Page.
Caligus hirsutus	239
irritans	238
phipsoni	238
Caliroa (Eriocampoides) cerasi	151
Callichrous bimaculatus	594
Callidora annellata	633, 643
Callionymus beniteguri	447
flagris	447
lunatus	446
valenciennesi	447
Calliorichthys doryssus	446
Calliurichthys japonicus	446
Callyodon balinensis	509
bicolor	509
bowersi	509
forsteni	509
lunula	509
maoricus	509
œdema	509
prasiognathus	509
pyrrhostethus	509
rivulatus	509
Calotomus japonicus	422
Cambarincola	481
macrodonta	481
Cambarus diogenes	481, 484
philadelphica	484
Campoletidea	634
caradrinæ	644
Campoplex (Angitia) hellulæ	631
pterophoræ	631
(Campoletidea) caradrinæ	634
(Diadegma) japonicus	636
(Hypothereutes) exiguæ	638
oxyacanthæ	633
(Sesioplex) depressus	644
texanus	638
villosus	632
Cancroma maculata	564
Canidia exigua	642
Cantharoctonus	617
stramineus	617
Cantherines modestus	423
Canthidermis rotundatus	423
Canthigaster jactator	425
rivulatus	425
Capoeta leiacanthus	503
Caradrina exigua	639
Caranx armatus	411, 600
atropus	579
brevis	579
calla	599
crysos	187, 188
delicatissimus	411
djedaba	599
elacata	598
equula	411
flavocæruleus	411
forsteri	496, 598
georgianus	599
herberti	598
ignobilis	411, 496
ire	599
jarra	496
kalla	599
latus	598

	Page.
Caranx leptolepis	599
malabaricus	600
malam	600
marginatus	598
melampygus	598
nigripinnis	600
oblongus	600
parapistes	598
rhabdotus	598
talamporoides	600
vari	599
Carassius auratus	404
Carcharias sorrah	588
Careproctus acanthodes	363
attenuatus	374
bathycœtus	368
colletti	369, 370, 375
curilanus	373
cypselurus	362
ectenes	372, 373
entargyreus	375
entomelas	374, 376
homopterus	374
mirabilis	367, 368
pellucidus	366
pycnosoma	372
rastrinus	362, 365
rhodomelas	365
roscofuscus	360
segalicnsis	367
sinensis	371
trachysoma	364
Caria melino	40
stillaticia	41
Carpio flavipinnis	502
Casandria olivaria	78
Casanowics, Immanuel M., Model of a Brahmin temple	649
Casinaria americana	644
scabra	635
scabriformis	635
Cassianella gryphaeta	392
Cassidinidea from Mexico, description of a new species of the isopod genus	107
lunifrons	108
ovalis	108
tuberculata	107
Castanea dentata	623, 633, 637
Castnia thysanete	100
Catalufa umbra	412
Celebes, description of a new family of pediculate fishes from	579
Celiptera codo	79
dimera	77
Censers and incense of Mexico and Central America	109
Centrochlora	61
esmeralda	61
Cephalophalus sonnerati	498
Cephalopholis urodeius	498
Cepola schlegeli	418
Ceratocottus dicersus	430
namiyæ	430
Ceratophyllum	184
Cerura duonumenia	81

Page.

Chabusta griseago 60
rectinubila 59
Chænogobius macrognathus 443
Chætodon citrinellus 510
collaris 422
lunula 422, 510
modestus 422
nippon 422
ornatissimus 510
setifer 422, 510
trifasciatus 510
ulietensis 510
vagabundus 422, 510
Chæturichthys hexanemus 444
sciistius 444
Chalcopasta dymoe 69
riandana 69
Chanos chanos 590
Charops annulipes 646
apaturæ 635
(Charops) Charopsimorpha tibialis apaturæ .. 635
fuscipennis 633
tibialis 635
Charopsimorpha 635
Chasmichthys dolichognathus 443
gulosus 443
Cheilinus chlorurus 508
diagrammus 508
fasciatus 508
trilobatus 508
Cheilio inermis 508
Chelidonichthys kumu 435
Chelidoperca hirundinacea 414
Chelonus bipunctulatus 620
buscki 620
(Chelonella) buscki 618
ruficollis 618
townsendi 619
(Chelonus) chilensis 620
gossypii 620
sobrinus 620
szepligetii 619, 620
Chilo dilatantellus 104
duomita 105
Chimæra deani 232
phantasma 231
China Sea, diagnoses of new barnacles from the 291
Chionanthobius 168
schwarzi 168
Chionanthus virginica 168
Chirocentrus dorab 590
hypselosoma 590
Chiroderma isthmicum 25
villosum 25, 26
Chloea castanea 443
mororana 443
Chlorion bridwelli 259
chichimecum 259
flavitarsis 259
mandibularis 257
pennsylvanicum 259
resinipes 258
texanum 259
Chœrodon azurio 419
jordani 506

Page.

Choreutis cardinella 627
Chromis elaphrus 527
notatus 418
ovalis 527
venter 526
Cicuta maculata 616
Ciroiana parva 187
Cirrhophanus mialphona 69
papago 70
Cirrodistis 71
benedicta 71
Citheronia beledonon 49
mexicana 49
Citula armatus 600
atropus 600
dorsalis 600
Cladothrix lanuginosa 169
Claphe borea 94
nystamma 93
Clarias batrachus 594
teysmanni 594
sp 594
Clariger cosmurus 444
exilis 444
Clark, Austin Hobart, Naumachocrinus, a new genus belonging to the crinoid family Phrynocrinidæ 195
Clavigralia gibbosa 3
Cleantiella 29
Cleantis, isopod of the genus, from Japan, description of a new species 27
granulosa 29
isopus 28, 29
linearis 29
japonica 27
occidentalis 28, 29
planicauda 29
strasseni 28
tubicola 28
Clidoderma asperrimum 440
Cliniodes nomadalis 104
Cliopteria 391
bicostata 391, 393, 394
unicosta 392, 393
Clupea (Amblygaster) leiogaster 590
dispilonotus 591
(Harengula) argyrotænia 591
atricauda 590
gibbosa 590
moluccensis 590
okinawensis 489
pallasii 402
perforata 591
Cnemocylius 158
Cockerell, T. D. A., Names applied to bees of the genus Osmia found in North America .. 215
Coelophrys 212
arca 213
brevicaudata 214
brevipes 213
mollis 212
oblonga 214
Coelorhynchus 232
Cœnocharis hoplictaria 92
Collocalia brevirostris 11
fuciphaga 11

Page.

Collocalia fuciphaga serophila 16, 18, 19, 20
amechana 13, 14, 15, 16, 17, 18, 19, 20
brevirostris 14
capnitis .. 11, 14, 16, 17, 18, 19, 20
elaphra 13, 14, 15, 16, 17, 18, 19, 20
fuciphaga 12, 14, 15, 16, 17, 18, 19, 20
mearnsi 17, 19, 20
tachyptera 20
vanikorensis 19, 20
vestita 15, 16, 17, 19, 20
Coloradia euphrosyne 48
Colorado, a new discodrilid worm from 481
Concana leucomera 80
Conoblasta fumiferanæ 148
Copepoda, fresh-water, in the United States National Museum, notes on 245
Copepods, parasitic, descriptions of new species of 233
Coradion desmotes 422
modestum 422
Corallana quadricornis 188
tricornis 188
Corbitis tænia 404
Coris annulata 507
variegata 508
Corythroichthys eleræ 495
ishigakius 494
quinquarius 408
tanakæ 407
waitei 495
Cottiusculus schmidti 431
Cottus gulosus 430
kazika 431
nozawæ 430
pollux 430
punctulatus 430
reinii 430
Crawford, J, C., Descriptions of new hymenoptera 1
Crayracion fluviatilis 611
Creatonotus albistriga 144
Crinoid family Phrynocrinidæ, Naumachocrinus, a new genus belonging to the 195
Cristiceps flammeus 448, 579
Crossias allisi 431
Cryptocentrus filifer 442
Cryptus aztecus 647
Crystallas matsushimæ 376
Ctenochætus striatus 423
Ctenogobius abei 514
bernadoui 514
campbelli 442, 514
caninus 514
glaucofrænum 514
gymnauchen 442, 514, 515
hadropterus 442
pflaumi 514
similis 442, 514
(Vaimosa) fontinalis 514
virgatulus 442, 514
Ctenops striatus 607
Cubaris, a new terrestrial isopod from Panama, belonging to the genus, description of. 477

Page.

Cubaris jamaicensis 193
longispinis 477
silvarum 194
Cushman, Joseph A., New arenaceous foraminifera from the Philippine Islands and contiguous waters 227
Cyanopterus depressi 620
peculiaris 621
steirastomæ 621
Cybium guttatum 238
Cyclogaster agassizii 356, 438
callyodon 353, 354
cyclopus 357
frenatus 356
greenei 354
ingens 360
(Neoliparis) curilensis 353
simushiræ 354
ochotensis 359
owstoni 351, 358
pulchellus 356
tanakæ 351, 357
tessellatus 355
Cyclops abyssorum 250
albidus 245, 247, 248
bicuspidatus 247, 248
bodamicus 250
brevicaudatus 250
claudioplitanus 250
clausii 250
fedtschenkoi 250
furcifer 250
hungaricus 250
kolensis 250
leuckarti 245, 246, 248
lucidulus 250
miniatus 250
prasinus 246, 247, 248
pulchellus 250
quadricornis 250
scutifer 250
serrulatus 246, 247, 248
var. elegans 245
montanus 248
strenuus 249, 250
var. vicina 250
vicinus 250
viridis 247, 248
var. americanus 245, 247
brevispinosus 245
Cyclopterichthys ventricosus 437
Cymothoa dufresnei 190
immersa 190
œstrum 190
Cynoglossus brachyrhynchus 610
macrolepidotus 610
potous 610
quadrilineatus 610
Cypricardites subalata 382
Cyprinus carpio 592
Cypselurus agoo 409
poecilopterus 409
Cypselus inquietus 20
Cypsiurus opisthopus 595
Dactyloptena gilberti 435

Page.

Dalctimorpha 636
peruviana 636
Dampieria spilopteras 505
Danuria angolensis 470
thunbergi 470
Dascyllus albisella 527
trimaculatus 527
Dasyatis akajei 401
Dasycottus setiger 430
Decapterus muroadsi 411
Degonetus serratus 7
Dendrochirus jordani 428
Dendrophyra ramosa 227
Dermatias 206
platynogaster 206
Dermogenys pusillus 595, 596
sumatranus 595, 596
Desmodus rotundus 26
Diaptomus ashlandi 247, 248
dorsalis 246, 248
leptopus 248
var. piscinæ 245, 248
reighardi 245, 248
signicauda 248
tyrelli 248
Dibranchus micropus 212
nasutus 211
simulus 211
stellifer 210
Dichogama colotha 103
Dichromapteryx didyma 99
Dictyosoma burgeri 449
Digonodes agonaria 87
gnorimaria 87
Digonogastra 621
Dinogunnellus grigorjewi 449
Diodon holacanthus 425, 512
hystrix 189
Diploexochus [Cubaris] echinatus 479
Discobatus sinensis 401
Discodrilid worm from Colorado, a new 481
Ditrema temminckii 418
Dolycoris indicus 2
Doryptena okinawæ 513
tanegasimæ 442
Draciscus sachi 436
Draculo mirabilis 447
Drepane punctata 598
Dules teniurus 655
Dussumieria acuta 590
hasseltii 590
Duymæria flagellifera 420
Dyar, Harrison G., Descriptions of new species and genera of lepidoptera, chiefly from Mexico 39
Dynamene moorei 192
perforata 192
Dyops xantholepis 77
Echeneis naucrates 610
Echidna delicatula 493
kishinouyei 493
nebulosa 493
polyzona 494
Echinocactus setispinus 162
Ecpantheria cotyora 57
euripides 56

Page.

Ecthetopyga 158
gossypii 159
Ecuador, a new species of isopod belonging to the genus Apseudes, from 583
Edestus mirus, description of the new species 31
crenulatus 35
giganteus 37
heinrichsi 35, 37
minor 36, 37
vorax 37
Elphosoma pyralidis 147
Eleginus navaga 450
Eleotris oxycephala 441
Eleria philippina 602
Ellis, Max M., a new discodrilid worm from Colorado 481
Elops hawaiensis 489
machnata 589
saurus 589
Emarginea noces 68
Emmedrichthys vulcanus 512
Emmiltis ordinaria 84
Enchelyurus hepburni 519
Enedrias nebulosus 448
Engraulis (Coilia) hamiltonii 592
encrasicholoides 592
hamiltonii 592
japonicus 403
mystax 592
poorawah 592
Enneapterygius bapturus 447
etheostoma 447, 518
pardochir 518
tusitalæ 447, 518
Entella rhombochir 457
Enthyopteroma bathybium 415
virgatum 415
Entosphenus japonicus 400
(Ephialtes) Calliephialtes comstocki 633
dolichosoma 637
planifrons 637
Epibulus insidiator 506
Epicrisias 55
eschara 55
Epilachna vigintioctopunctata 7
Epinephelus adscencionis 189
akaara 413
cæruleopunctatus 414, 498
chlorostigma 413
craspidurus 413
epistictus 414
fario 413
gilberti 605
megachir 498
merra 605
ongus 604
pantherinus 605
poecilonotus 414
rhyncholepis 498
septemfasciatus 414
sexfasciatus 605
stellatus 498
summana 498
tauvina 498
tsirimenara 498
variolosus 604

	Page.
Epinotia saliciana	614
Epiperola conformis	97
paida	97
Epirrhoe caliscata	84
Epischnia granitella	645
Epischura nevadensis	247, 248
Episilia cyminopristes	57
Epitrix paroula	625
Epiurus innominatus	149
nigrifrons	149
Erastria tilora	75
Eriopyga cymax	60
melanops	60
Ernogrammus epallax	449
hexagrammus	449
Erythrœcia euposis	65
Etiella zinckenella	143
Etmopterus lucifer	401
Eubadizon lithocelletidis	622
Euchætias parazona	56
Eucles buscki	95
distrahens	94
poasica	94
Eulima scillæ	263
Eulimella macandreæ	263
Eumops glaucinus	26
Euplectrus kœbelei	9
lacticinia	9
manilæ	9
Euprosterna hosia	96
Euptychia pertepida	39
Eurymyella	382
angularis	387, 389
convexa	385, 389
denbowensis	390, 391
plana	388, 389
recta	389
shaleri	382, 384, 385, 386
var. breva	386, 389
longa	387
minor	387
Eurymyella ? simulans	388
Eurytemora affinis	246, 249
lacustris	249
Eusemna, dimorphic form of Baronia brevicornis	44
Eustrotia anita	73
victrix	73
dissociata	74
lixinites	74
megaplaga	75
melor	74
melorista	74
plumbifusa	75
Euthynnus alleteratus	410, 496
pelamis	410
Eutrichopsis agromyzæ	622
Eusophera perticella	152
Eviota abax	441, 513
ephiphanes	513
zonura	513
Evistias acutirostris	416
Evynnis cardinalis	415
Exeristes hyalinipennis	638
nubilipennis	638
roborator	638

	Page.
Exocoraliana quadricornis	187, 188
tricornis	187, 188
Exosphæroma antillense	191
crenulatum	191
Expedio parvulus	445
Fernald, Henry T., Descriptions of certain species of wasps of the family Sphecidæ	257
Fiebrigia	638
Fishes, chimæroid, of the Philippine Islands, with description of a new species	231
Fishes, cyclogasterid, new, from Japan	351
Fishes from Honolulu, Hawaii, descriptions of two new species of	525
Fishes from Java, collected by Owen Bryant and William Palmer in 1909, with description of a new species	587
Fishes, Japanese shore, collected by the United States Bureau of Fisheries steamer Albatross expedition of 1906	399
Fishes, Kuhliid, note on the generic name Safole, replacing Boulengerina, for a genus of	655
Fishes of Okinawa	487
Fishes, new, pediculate, from the Philippine Islands and contiguous waters	199
Fishes, pediculate, description of a new family of, from Celebes	579
Fistularia petimba	408, 494
serrata	408, 494
Foraminifera, from the Philippine Islands and contiguous waters	227
Frullania	184
Furcina ishikawæ	432
osimæ	432
Gadus macrocephalus	450
Galepsus capitatus	455
congicus	455
lenticularis	455
meridionalis	455
Gallichthys ægyptiacus	600
chevala	600
major	600
Gallus virescens	600
Gasteroteus cataphractus	408
Gazelle, isabella, variation in the skull and horns of the	171
Gazza minuta	604
Gelechia gallæsolidaginis	644
trialbamaculella	615
Gephyroberyx japonicus	410
Gerra sophocles	72
Gerres filamentosus	501
macracanthus	606
Gerrodes longipes	72
minatæa	72
Gerstæckeria	160
(Gerstæckeria) alternata	163
bifasciata	162
profusa	162
tesselata	162
(Opuntiaphila) dilatata	161
hubbardi	161
(Philopuntia) basalis	165
cactophaga	166
clatherata	165
cruciata	164

Page.

Gerstæckeria (Philopantis) curvilineata 165
fasciata 166
lacti 164
leucleuci 164
lineatocollis 165
nobilis 164
opuntiæ 165
porosa 165
toluccana 165
turbida 167
(Xenosomina) inflata 162
turpis 162
Gilbert, C. H., and C. V. Burke, New cyclogasterid fishes from Japan 351
Gingis astora 99
myria 90
Girella melanichthys 415
mexina 415, 501
punctata 415
Givira sandelphon 106
Glossogobius giurus 609
Glypta erratica 148
Glyptocephalus zaxus 440
Glyptothorax platypogon 594
Gnathagnus elongatus 446
Gnathia, sp.? 187
Gnathodentex aurolineatus 500
Gnatholepis sindonis 513
Gobinus ornatus 442
Goniistius zebra 505
zonatus 417
Gonodonta plumbicincta 79
Gratidia cryptocercata 474
kibonotensis 472
pulchripes 472
reducta 474
Gymnocanthus herzensteini 431
intermedius 431
Gymnocranius griseus 415
Gymnocarda alleterata 603
Gymnothorax albimarginatus 492
chlamydatus 493
fimbriatus 492
isingleenoides 492
kidako 407
laysanus 407, 492
meleagris 492
odiosus 407
petelii 492
philippinus 493
pictus 492, 595
reticularis 407
stellatus 492
undulatus 492
Habrobracon johannseni 622, 623
stabilis 622
tetralophæ 623
Hadronotus fulviventris 2
Hæmonchus contortus 175
Hæmulon flavolineatum 188, 189
Hæniochus acuminatus 510
Halæurus rudis 400
Haliehœres opercularis 421, 507
poecilopterus 421
trimaculatus 421
Halicmetus reticulatus 208
ruber 209

Page.

Haliculopsis vermicularis 209
Haliphysema catenulata 228
Halisidota carinator 51
fuliginosa 52
interlineata interlineata 53
nebulosa 51
nimbifacta 51
nimbiscripta 51
schausi 52
brasiliensis 52
ruscheweyhi 52
thyophora 51
underwoodi 52
instabilis 53
modalis 53
Hall, Maurice C., and Brayton Howard Ransom, A new nematode, Ostertagia bullosa, parasitic in the alimentary tract of sheep 175
Hampala macrolepidota 593
Hapalomantis rhombochir 457
Harengula argyrotænia 591
gibbosa 590
perforata 591
Harrisina auchenochrysa 99
tessacans 100
Hawaii, descriptions of two new species of fishes from 325
Hay, Oliver Perry, On an important specimen of Edestus; with description of a new species, Edestus mirus 31
Helcon castaneus 623
dentipes 623
Heliastes lepidurus 608
Helicolenus dactylopterus 427
hilgendorfi 427
Helicoprion 31, 36, 37
Helluia undalis 631
Hemibagrus planiceps 594
sp 594
Hemibarbus barbus 404
Hemiderma perspicillatum aztecum 25
Hemigymnus fuliginosus 506
Hemileuca electra 145
Hemipterus villosus 449
Hemitramphus commersoni 494
pacificus 494
sp 494
Hemitautoga notophthalmus 608
Hemitheinopsis 90
pterochra 90
pteroglauca 90
Hemitripterus villosus 434
Hepatus dussumieri 510
matoides 510
olivaceus 510
triostegus 423, 510
Heron, a revision of the subspecies of the green 529
Heteroleotris arenarius 441, 513
Heterodontus japonicus 400
Heteropia cyledis 42
Hexagrammus aburaco 429
lagocephalus 429
octogrammus 429
otakii 429
Hexanematichthys sundaicus 593

Page.

Hippocampus cornatus 408
japonicus 408
mohnikei 408
trimaculatus 611
Hippoglossoides dubius 439
elassodon 439
katakuræ 439
Hirundo vanikorensis 19
Histiopterus typus 416
Holacanthus bishopi 422, 510
lepidolepis 510
potteri 525
Holocentrus binotatus 496
melanospilus 496
punctatissimus 496
ruber 410, 496
sammara 410
Hoplobrotula armata 450
Hoplocorypha bispina 462
boromensis 462
boviformia 462
perplexa 460
Hoplostethus mediterraneus 410
Hormosina monile 229
Hough, Walter, Censers and incense of Mexico and Central America 109
Hyaleucerea agylloides 50
Hyloicus adumbrata 45
Hymenocepimecis 149
Hymenoptera, descriptions of new, No. 4 1
Hymenosyneches 149
Hyphantria penthetria 56
Hyphorhamphus sajori 409
Hypocrisias berthula 54
lisoma 53
minima 54
Hyposoter chrysorrhoeæ 636
parorgyiæ 638
Hypothereutes geometræ 638
Hyssia nephrosticta 59
(Ichneumon) Campoplex difformis 634
Ichneumon confirmatus 645
Ichneumon-flies, descriptions of five new genera and twenty-six new species of 139
descriptions of twenty-one new genera and fifty-seven new species of 613
Ichthyocampus nox 495
Idechthis patulus 639
Ilisha elongata 591
indica 591
Incense and censers of Mexico and Central America 109
Iniistius dea 421, 508
Inimicus aurantiacus 429
japonicus 429
Inu ama 445
koma 445
Ipobracon grandiceps 621
Ischnopterix constantia 85
Isopod crustacean belonging to the genus Livoneca from the Atlantic coast of Panama, description of a new 173
Isoped, description of a new species of, belonging to the genus Apseudes, from Ecuador 583

Page.

Isopod, description of a new terrestrial, belonging to the genus Cubaris from Panama 477
Isopod genus Cassidinidea from Mexico, description of a new species 107
Isopod of the genus Cleantis from Japan, description of a new species 27
Isopods, marine and terrestrial, from Jamaica 187
Isopods, two new parasitic, belonging to the genera Palægyge and Probopyrus from Panama 521
Ixobrychus exilis 537
Jamaica, marine and terrestrial isopods from 187
Jaminea bilirata 263
Japan, new cyclogasterid fishes from 351
new species of isopod of the genus Cleantis from 27
shore fishes from, collected by the United States Bureau of Fisheries steamer Albatross expedition of 1906 399
Java, fishes from, collected by Owen Bryant and William Palmer 587
Jordan, David Starr, Note on the generic name Safole, replacing Boulengerina, for a genus of Kuhliid fishes 655
and Charles William Metz, Descriptions of two new species of fishes from Honolulu, Hawaii 525
Jordanidia raptoria 410
Julis pulcherrima 508
Kansas, A second meteoric find from Scott County 295
Karelus bicoloratus 440
Kelloggella cardinalis 609
sp 609
Kochia (Loxopteria) dispar 391
lævis 392
Konosirus punctatus 402
Kuhliidæ 655
Lachnolaimus maximus 188, 190
Lactarius lactarius 601
Lactophrys tritropis 424
Lampetra planeri 400
Lampris regia 412
Laphygma nigrescens 63
Latilus japonicus 417, 513
ruber 417
Leiodon patoca 611
Lelognathus argentium 412
bindoides 604
edentulus 604
gerreoides 604
insidiator 604
rivulatum 412
splendens 604
Lelaps 5
Lemna 184
Leperdita alta 383
Lepidaplois loxozonus 506
mirabilis 506
perditio 506

	Page.
Lepidocephalichthys hasseltii	393
Lepidopsetta mochigarei	440
Lepidoptera from Mexico, descriptions of new species and genera	39
Lepidotrigla abyssalis	434
alata	434
guntheri	434
japonica	435
kishinouyi	434
strauchi	434
Lepisosteus tristœchus	235
Leptocephalus anago	405
erebennus	406
flavirostris	405
kiusiuanus	406
marginatus	490
megastomus	405
myriaster	406
nystromi	406
retrotinctus	405
Leptochelia dubia	187
incerta	187
Leptonycteris nivalis	24
Lernanthropus lappaceus	240
Letaba	71
non	72
Lethrinus amboinensis	500
harak	500
mœnsi	500
richardsoni	500
Leucogobio mayadæ	404
Limanda angustirostris	440
iridorum	440
yokohamæ	440
(Limneria) Angitis obscura	631
Campoplex dimidiatus	644
montanus	634
corrupta	633
mutabilis	642
Limnerium (Campoletis) prodenise	634
Liobagrus reini	403
Liparis agassizii	356, 359
ochotensis	359, 360, 361
owstoni	367
Lissoprion	31, 36, 37
Lithacodia musta	77
mustapha	76
Lithocolletes hamadryadella	622
Livoneca from the Atlantic coast of Panama, description of a new isopod crustacean belonging to the genus	173
Livoneca longistylis	173
Lixa hæmatochila	410
troscheli	495
Lonchophylla hesperia	24
mordax	23, 24
robusta	23
thomasi	23
Lonchorhina aurita	23
Lophiodes infrabrunneus	202
miacanthus	201
naresi	202
olivaceus	200, 203
Lophius litulon	450
Lotella phycis	450
Luciogobius elongatus	445
guttatus	445
Lumpenus anguillaris	449
Lutianus argentimaculatus	499
kasmira	499
monostigma	499
quinquelineatus	499
rivulatus	499
vitta	499
Lutjanus chirtah	606
fulviflamma	606
russelli	606
vitta	606
Lycophotia pampolycia	57
richioides	58
triphænoides	58
Lygropia subcostalis	104
Macrobrachium acanthurus	523, 524
jamaicense	521, 522
olfersii	521, 522
Macrocentrus cerasivoranæ	623
Macrophion ornatus	640
Maine, new mollusca from the Silurian formations of	381
Malacanthus parvipinnis	505
Malakichthys griseus	413
Malthopsis lutea	208
ocellata	207
Mantidæ, notes on African orthoptera of the family, with descriptions of new species	451
Mapo zolosomus	442, 515
crassiceps	441, 515
fuscus	442, 515
pœcilichthys	441
Marsh, C. Dwight, Notes on fresh-water copepoda in the United States National Museum	245
Marsipella gigantea	228
Megalaspis rottleri	598
Megalops cyprinoides	489, 589
Megaprotodon trifascialis	510
Melitæa prodenialis	161
Merrill, George P., A second meteoric find from Scott County, Kansas	295
Mesochorus diversicolor	149
gracilis	640
pallipes	640
pernicious	149
trisulcatus	640
(Mesoleptus?) thyaiotorus peregrinus	645
Mesopus japonicus	403
olidus	403
Mesostenus ater	641
funebrus	641
(Mesostenus) versicolor	641
nubeculator	641
Metanema ugallia	89
Meteorite, a second find from Scott County, Kansas	295
Meteorus arcticida	141
incompletus	142
japonicus	624
nipponensis	624
obfuscatus	141
pulchricornis	624
trachynotus	142
Metoponorthus pruinosus	192
Metraga byrne	95
colle	95

	Page.
Metz, Charles William, and David Starr Jordan, Descriptions of two new species of fishes from Honolulu, Hawaii	525
Mexico, censers and incense of	109
description of a new species of the isopod genus Cassidinidea from	107
descriptions of new species and genera of lepidoptera from	39
Microbracon cooki	142
hyalopi	142
mellitor	143
nigridorsum	142
psilocorsi	143
vestiticida	624
Microcanthus strigatus	422, 510
Microdonophis erabo	406
polyophthalmus	490
(Microdus) Bassus tumidulus	630
ochrosus	630
Micromonodes mochensis	64
Microphis brachyurus	408
extensus	495
ocellatus	408, 495
Microphobetron	98
rebella	98
Microstomus stelleri	440
Microtoridea	150
lissonota	150
Mictochroa selinitis	73
Miller, Gerrit S., jr., A small collection of bats from Panama	21
Variation in the skull and horns of the isabella gazelle	171
Minous adamsi	428
Miomantis armicollis	458
Misgurnus anguillicaudatus	404
Mitsukurina owstoni	401
Modiolopsis cancellata	384
cincinnatiensis	384
Modiomorpha subulata	382, 390
Mogurnda obscura	441
Mollusca, new, from the Silurian formations of Washington County, Maine	381
Mollusks of the west coast of America, a zoogeographic study based on the Pyramidellid	297
West American Pyramidellid, additions to, with descriptions of new species	261
Monacanthus cirrhifer	423
japonicus	423
Monoblastus caliroæ	151
punctifrons	151
Monocentrus japonicus	410
Monoceros brevirostris	510
tuberosus	510
unicornis	510
Monodes cassida	64
niveopis	63
Monogonogastra	625
Monopterus javanensis	504
Monoptygma cingulata	263
Mugil cephalus	410, 495
dussumieri	506
planiceps	506
Mulloides flavolineatus	503
preorbitalis	527
samoensis	527
Muræna reevesi	493
Muræneosox cinereus	406
talabon	505
Murænichthys owstoni	490
Murchisonia desiderata	396
Musteius manazo	400
Mychonia (?) noela	67
Mycteroperca bowersi	188
Myliobatis milvus	589
nieuhofii	588
Myoxocephalus edomius	431
ensiger	431
nivosus	431
polyacanthocephalus	431
raninus	431
yesoensis	431
Myrichthys magnificus	491
rupestris	490, 491
tigrinis	491
Myriophyllum	184
Myripristis adustus	496
berndti	527
intermedius	495
macrolepis	410, 495
murdjan	527
Narke japonica	401
Narosopsis	96
leucospila	96
Naseus punctulatus	510
Natada michorta	96
nindla	96
Naumachocrinus, a new genus belonging to the Crinoid family Phrynocrinidæ	195
hawaiiensis	196
Nemacheilus fasciatus	503
Nematode, a new, parasitic in the alimentary tract of sheep	175
Neoditrema ransonneti	418
Neogrecnia	641
picticornis	641
Neomænis aya	188
synagris	189
Neopercis sexfasciata	445
Neopimploides	151
sylepte	151
Neoscopelus	232
Neozoarces steindachneri	449
Netuma thalassina	503
Notorhynchus maculatus	238
Novaculichthys macrolepidotus	508
taniurus	508
Nyctemera laticinia	9
Nyctosia poicilonotus	50
Oberholser, Harry C., A revision of the forms of the edible-nest swiftlet, Collocalia fuciphaga (Thunberg)	11
A revision of the subspecies of the green heron (Butorides virescens [Linnæus])	529

Page.

Obaeckia scripta 512
Occa iburia 436
Oceanops latovittata 505
Ocynectes maschalis 432
modestus 432
Ocyurus chrysurus 188, 189
Odostomia (Amaura) eldorana 287
grippiana 287
helena 286, 287
krausei 287
satura 286
subglobosa 286
(Besla) convexa 273
excolpa 273
(Chrysallida) dicella 274, 276
helga 275
heterocincta 274
thalia 275
(Evalea) baldridgeæ 284
barkleyensis 283
calcarella 279
callimene 281
calliope 278, 279
cassandra 285
cookeana 283
cypria 282
eslida 280
granadensis 285
hagemeisteri 285
herilda 282
hypatia 282
io 283
kadiakensis 281
killisnoocensis 278
palmeri 286
pratoma 284
profundicola 279
quadrae 281, 282
skidegatensis 284
socorroensis 284
spreadboroughi 279, 280
tenuis 285
thea 278, 279
vancouverensis 280
youngi 277, 278
(Heida) kelseyi 286
(Menestho) excisa 276
gloriosa 276
recta 276
(Salassia) tropidita 263
(Scalenostoma) babylonia 287
dotella 288
Ogdoconta plumbea 66
Okinawa, the fishes of 487
Omphisa brunnettalis 101
Oniscus œstrum 190
Ophichthus asakusæ 406
Ophiocephalus gachua 608
melanopterus 607
Ophion undulatus 635
Ophiusa melicerta 9, 150, 153
Opisthocentrus ocellatus 449
zonope 449
Opisthopterus tartoor 501
valenciennesi 501

Page.

Opisthoxia cassandra 85
limboguttata 86
salubrea 86
Opiognathus fasciatus 416, 501
Opuntia vulgaris 161
Opuntiaphila 161
Orthoptera, notes on African, with descriptions of new species 451
Orthrias oreas 404
Orgyia postica 144
Oryzias latipes 407
Osmerus dentex 403
Osmia, Bees of the genus, found in North America 215
atriventris 215
aurulenta 215
bicolor 215
brevis 215
cerasi 216
cobaltina 215
ferruginea 216
lignaria 215
novomexicana 216
propinqua 215
pseudoaurulenta 216
pumila 215
rufa 215
Ostertagia bullosa 176
marshalli 176
occidentalis 176
trifurcata 176
Ostracion diaphanum 424
immaculatum 424
Otenops striatus 607
Otolithus argenteus 606
Oxycnemis mexicana 63
Ozorthe dictyogramma 449
Pachylasma aurantiacum 293
chinense 293
crinoidophilum 293
darwinianum 293
giganteum 293
Pagrus cardinalis 500
Palægyge and Probopyrus, two new parasitic isopods from Panama, descriptions of 521
meeki 521
Pallasina barbata 436
Palmer, William, and Owen Bryant, fishes from Java collected by 567
Panama, Atlantic coast of, description of a new isopod crustacean belonging to the genus Livoneca from 173
description of new terrestrial isopod from, belonging to the genus Cubaris 477
descriptions of two new parasitic isopods belonging to the genera Palægyge and Probopyrus from 521
a small collection of bats from 21
Panchax panchax 595
Panurgica duplex 466
fratercula 466
liberiana 466
Papaipema apicata 65

	Page.
Papilio demoleus	145
polytes	145
Paracanidia elyi	643
Paracentropogon rubripinnis	429
Paracirrhites forsteri	505
Paragonia tiselaaria	87
Paralichthys olivaceus	439
Paraliparis atramentatus	351, 377
entochloris	378
melanobranchus	378, 379
Parapercis hexophthalma	516
pulchella	445
tetracantha	516
Parapetalus hirsutus	230
Paraplagusia marmorata	610
Parapristopoma trilineata	415
Parasilurus asotus	403
Pardachirus pavoninus	517
Parexocœtus brachypterus	494
mento	505
Pegasus umitengu	407
Pegomyia vicina	616
Pempheris japonicus	497
qualensis	497
Pentapus formosulus	500
microdon	500
Periconta	66
obliqua	66
Perigea concisa	62
menota	61
micrippia	62
Perilitus epitricis	625
Periophthalmus cantonensis	515
Perola brevicornis	97
producta	97
Peteroma alternata	78
Petroscirtes elegans	448
loxozonus	448, 579
Phasmidæ, notes on African orthoptera of the family, with descriptions of new species	451
Philippine Archipelago, diagnoses of new barnacles from the	291
Philippine Islands, chimæroid fishes of the, with description of a new species	231
new arenaceous foraminifera from the	227
new pediculate fishes from the	190
Philopuntia	163
Pholis taczanowskii	448
Phronima, dimorphic form of Baronia brevicornis	45
Phryganodes anchoritalis	102
leucophasma	102
mostella	102
omphalobasis	103
Phrynocrinidæ, a new genus belonging to the crinoid family	195
Phrynocrinus nudus	197
Phycodes coracara	40
Phygadeuon (Bathymetis) spinicoxus	148
(Dirophanes) plesius	148
Phyllodonta emerita	86
peribleptaria	86
Phyllostomus hastatus	23
Physiculus japonicus	450
Phytonomus murinus	147
Pierce, W. Dwight, Systematic notes and descriptions of some weevils of economic or biological importance	155
Pigia calotis	89
Pilocrocis candatella	103
Pilotrema warreni	238
Pilsbry, Henry A., Diagnoses of new barnacles from the Philippine Archipelago and China Sea	291
Pisodonophis cancrivorus	490
zophistius	406
Platax teira	500, 508
Platichthys stellatus	440
Platophrys myriaster	517
Plotosus anguillaris	489
Platycephalus indicus	434, 512, 608
insidiator	608
scaber	608
Platyglossus notopeis	507
Platynius amœnus	499
Plecoglossus altivelis	403
Plectorhynchus chætodonoides	500, 605
diagramma	500
pictus	415, 605
Plesiops melas	498
Pleuronectes zebra	611
Pleuronichthys cornutus	440
Pleurotropis bifoveolatus	7
foveolatus	7
Plotosus anguillaris	403
Plutella omissa ?	631
Podagrion greeni	3
koebelei	4
repens	5
Podothecus thompsoni	437
tokubire	437
xystes	437
Polia cleptoschema	59
trasca	58
Polyacanthus opercularis	513
Polydactylus agonasi	417, 495
Polygrammodes hirtaloidalis	101
modestalis	101
Polymixia japonica	410
Polynemus heptadactylus	610
melanochir	610
tetradactylus	233, 238, 239, 240, 242, 610
tridactylus	610
Polyspilota calabarica	458
validissima	458
variegata	458
Pomacentrus, sp	608
anabatoides	608
delurus	504
dorsalis	504
melanopterus	504
nigricans	504
Pomadasis argenteus	500
hasta	500
Pomadasys nageb	605
Porcellio lævis	192
pruinosus	192
Porcellionides pruinosus	192
Porosagrotis camalpa	57
Priacanthus hamrur	416
japonicus	416

Page.

Pristomerus euzopherse ... 152
Probopyrus and Palægyge, two new parasitic isopods from Panama, descriptions of ... 521
floridensis ... 524
panamensis ... 523
Proctotrypoidea ... 1
Prodena littoralis ... 140
Prognurus cypselurus ... 362
Progonodes diversata ... 85
Protapanteles creatonoti ... 145
læviceps ... 626
Protopsetta herzensteini ... 439
Psenopsis anomala ... 412
Psettodes erumei ... 610
Pseudanarta heterochroa ... 60
Pseudanthias venator ... 414
Pseudapanteles etiellæ ... 627
Pseudarius arius ... 504
Pseudoblennius argenteus ... 433
japonicus ... 433
marmoratus ... 433
percoides ... 432
Pseudocasinaria ... 644
Pseudocreobotra ocellata ... 470
Pseudogobio esocinus ... 404
Pseudolabrus gracilis ... 420
japonicus ... 420
Pseudorhombus arsius ... 439
cinnamomeus ... 438, 439
malayanus ... 610
mistakius ... 438
ocellifer ... 438
oligodon ... 438, 439
Pseudoscarus cantori ... 608
rivulatus ... 608
viridis ... 608
Pseudosciæna anæus ... 606
plagiostoma ... 606
Pseudotalara lateralis ... 100
pseudophile ... 100
Pseudovipsania melanois ... 98
Psiloconchoid pelecypod ... 383
Pterinea laxata ... 393
lineata ... 381
mainensis ... 381
(Pteronitella?) incurvata ... 381
radialis ... 381
Pterogobius elapoides ... 443
virgo ... 443
Pterois lunulata ... 428
Pterophryne histrio ... 450
Pteroplatea japonica ... 401
Pterothrissus gissu ... 402
Pygosteus tymensis ... 406
Pyrausta dilecticolor ... 103
futilalis ... 627

Racheospila manostigma ... 91
Rachycentron canadus ... 598
Radcliffe, Lewis, New pediculate fishes from the Philippine Islands and contiguous waters ... 199
and Hugh M. Smith, Description of a new family of pediculate fishes from Celebes ... 579

Page.

Raja meerdervoorti ... 401
Ransom, Brayton Howard, and Maurice C. Hall, A new nematode, Ostortagia bullosa, parasitic in the alimentary tract of sheep ... 175
Rehn, James A. G., Notes on African orthoptera of the families Mantidæ and Phasmidæ in the U. S. National Museum, with descriptions of new species ... 451
Rensselaeria mainensis ... 381
Reophax horrida ... 229
Rhæsena defecta ... 79
Rhinochimæra pacifica ... 232
Rhinoliparis barbulifer ... 379
Rhinoplagusia japonica ... 441
Rhinocrinus rawsonii ... 195, 196
weberi ... 196, 197
Rhynchobatus dijiddensis ... 586
lævis ... 586
Riccia ... 184
Richardson, Harriet, Description of a new isopod crustacean belonging to the genus Livoneca from the Atlantic coast of Panama ... 173
Description of a new species of isopod belonging to the genus Apseudes from Ecuador ... 583
Description of a new species of isopod of the genus Cleantis from Japan ... 27
Description of a new species of the isopod genus Cassidinidea from Mexico ... 107
Description of a new terrestrial isopod belonging to the genus Cubaris from Panama ... 477
Descriptions of two new parasitic isopods belonging to the genera Palægyge and Probopyrus from Panama ... 521
Marine and terrestrial isopods from Jamaica ... 187
Richardsonius hakusensis ... 404
Rikuzenius pinetorum ... 429
Risso dolioluni ... 202
Rocinela signata ... 189
Roemeria capuliformis ... 391
Roëselia pedanta ... 94
Rothschildia lichtenba ... 46
Rotifers, instructions for collecting and fixing ... 181
Rudarius ercodes ... 423
Saccorhiza ramosa ... 229
Safole, note on the generic name ... 655
sandvicensis ... 655
taeniura ... 497, 655
Sagaritis varians ... 634
Salanx microdon ... 403
Salarias andersoni ... 448, 518
caudolineatus ... 609
lineatus ... 448, 518, 610
marmoratus ... 609

Page.

Salarias muscarus ... 519
natalis ... 609
quadricornis ... 448, 519, 609
rivulatus ... 519
sinuosus ... 519
tanegasasimæ ... 448
tridactylus ... 600
Salassia carinata ... 263
Sardinella zunasi ... 402
Satrapodes dosca ... 66
Saurida argyrophanes ... 403, 489
gracilis ... 489
tumbil ... 592
Sayonara satsumæ ... 414
Scæops grandisquama ... 438
Scalpellum stearnsii ... 293
Scartichthys enosimæ ... 519
Scarus cæruleus ... 188
Schisura doseppa ... 81
Sciæna mitsukurii ... 416
schlegeli ... 416
Scolopsis bilineata ... 500
bimaculatus ... 605
cancellata ... 500
taeniopterus ... 605
margaritifer ... 605
Scomber brachysoma ... 602
chrysozonus ... 602
cordyla ... 598
japonicus ... 410
kanagurta ... 602
loo ... 602
microlepidotus ... 602
moluccensis ... 602
neglectus ... 602
reani ... 602
rottleri ... 598
scombrus ... 602
Scomberoides lysan ... 601
sancti-petri ... 496, 601
tol ... 601
Scomberomorus commersonii ... 603
guttatus ... 603
interruptus ... 603
kuhlii ... 603
lineolatus ... 603
Scombroides orientalis ... 411
Scombrops boops ... 412
Scorpæna cirrhosa ... 428
fimbriata ... 428
kagoshimana ... 428
onaria ... 428
Scorpænopsis gibbosa ... 512
Scyris indicus ... 600
Sebastichthys elegans ... 427
mitsukurii ... 427
nivosus ... 427
pachycephalus ... 427
trivattus ... 427
vulpes ... 427
Sebastiscus albofasciatus ... 427
marmoratus ... 427
Sebastodes fuscescens ... 427
inermis ... 425, 426
introniger ... 427
itinus ... 425
iracundus ... 426

Page.

Sebastodes joyneri ... 426
steindachneri ... 425
tacsanowskii ... 425
tanakæ ... 427
tokionis ... 425, 426
ventricosus ... 426
Sebastolebus macrochir ... 425
Sebastopsis guamensis ... 512
Selar kuhlii ... 599
malam ... 600
Sematoneura denticosella ... 105
Semicossyphus reticulatus ... 420
Semyra eucharista ... 96
Seriola aureovittata ... 411
purpurascens ... 411
Sesia scitula ... 146
Sesioplex ... 644
Sigalphus caudatus ... 628
Siganus corallinus ... 511, 607
fuscescens ... 423, 511
guttatus ... 607
javus ... 607
lineatus ... 511
marmoratus ... 511
punctatus ... 511
rostratus ... 511
tetrazonus ... 511
virgatus ... 511, 607
Siliago japonica ... 417
parvisquamis ... 417
sihama ... 607
Silurian mollusca from Maine ... 381
Simyra unifacta ... 61
Siphostoma yoshi ... 407
Sirembo imberbis ... 430
Sladenia gardineri ... 190
remiger ... 190
Smilium horridum ... 291
pollicipedoides ... 292
scorpio ... 292
Smith, Hugh M., The chimæroid fishes of the Philippine Islands with description of a new species ... 231
and Lewis Radcliffe, Description of a new family of pediculate fishes from Celebes ... 579
Snyder, John Otterbein, Japanese shore fishes collected by the United States Bureau of Fisheries steamer Albatross expedition of 1906 ... 399
The fishes of Okinawa, one of the Riu Kiu Islands ... 487
Solea zebrina ... 611
Sparisoma abildgaardi ... 190
viride ... 188
Sparus aries ... 415
datnia ... 606
latus ... 415
schlegeli ... 500
Spathius brunneri ... 627
unifasciatus ... 628
Sphæroma crenulatum ... 191

	Page.
Sphecidæ, descriptions of certain species of	257
Spheroides alboplumbeus	424
chrysops	425
exascurus	424
niphobles	425
ocellatus	512
pardalis	424
spadiceus	424
stictonotus	424
Sphodromantis lineola	459
Sphyræna barracuda	188
commersoni	495
japonica	409
jello	506
obtusata	495, 596
pinguis	409
Sphyrna blochii	611
zygæna	401, 587, 611
Squalus mitsukurii	401
Squatina japonica	401
Staphylus litus	44
Stauropus alternatus	146
Stegostoma tigrinum	489
Steirastoma depressum	620
Stenopyga extera	457
Stereolepis ischinagi	413
Stethojulis axillaris	420, 506
bandanensis	506
casturi	506
kalosoma	420
phekadopleura	420, 506
strigiventer	420, 507
zatima	420
Stibadium ragiana	68
Stilpus anthomyidiperda	644
Stiria ischune	70
mouris	70
rugifrons	70
sisaya	70
sulphurea	70
Stiriodes condistica	71
nepotica	71
Stolephorus commersonii	592
japonicus	402
tri	592
Streptotrochus	394
carinatus	395, 396
ione	395, 396
mercurius	394
regularis	396
sulcatus	396
Stromateus sinensis	604
Swiftlet, a revision of the forms of (the edible-nest)	11
Sylepta derogata	151
Sympiesis comperei	9
Synanceja verrucosa	512
Synchiropus ocellatus	517
Syngnathus schlegeli	407
yoshi	407
Synodus japonicus	403, 489
Talus tumifrons	415
Tanais dubius	187
Tarache interposita	76
vittamargo	76
Tarachodes dissimulator	453
dives	452
perloides	452
pilosipes	453
werneri	452
Taragama dorsalis	140
Telenomus colemani	2
comperei	1
Temple, Brahmin, model of	649
Tenodera superstitiosa	457
Terapon jarbua	500
Tetracis pagonaria	88
Tetraodon hispidus	512
lunaris	611
oblongus	611
Tetrastichus colemani	8
echthrus	8
ophiusæ	8
philippinensis	9
Thalassoma amblycephalus	506
cupido	431
dorsale	506
guntheri	506
janseni	506
lutescens	506
neanis	506
umbrostigma	506
Thalliurus chlorurus	509
Thaumatichthyidæ	579
Thaumatichthys	579
pagidostomus	580
Thecesternus albidus	170
Thecla greppa	42
philinna	42
primno	41
primnosa	41
zenaida	42
Theopompa nebulosa	451
Therapon jarbua	605
oxyrhynchus	415
puta	605
servus	415
therapa	605
Therina ascolia	88
calidaria	88
Thorybes thedes	43
Thracides uridon	43
Thrissa hamiltonii	592
Thynnophrys crocodilus	434, 512
japonicus	434
macrolepis	434
meerdervoortii	434
spinosus	434
Tilesina gibbosa	435
Tischeria malifoliella	140
Tortrix fumiferana	139, 142, 149
Toxoprion	31, 36
Trachichneumon	645
Trachinocephalus myops	403
Trachurops crumenophthalma	496
Trachurus japonicus	411
Trachyrhamphus serratus	408
Trematopygus fusculosus	151

Page.

Triacanthus blochii ... 611
brevirostris ... 423, 611
nieuhofii ... 611
Triakis scyllium ... 400
Triaspis pissodis ... 628
vestiticida ... 629
var. minutissimus ... 629
Trichiurus haumela ... 411, 496, 603, 604
japonicus ... 411
lepturus ... 603, 604
muticus ... 603, 604
nitens ... 604
Trichomma epischniæ ... 645, 646
granitellæ ... 645
reticulatum ... 645
Trichopodus trichopterus ... 607
Tridentiger bifasciatus ... 444
bucco ... 444
Trismegistus owstoni ... 358
Trochosphæra ... 181
Trochus incisus ... 394
lundgreni ... 394
Trulia itina ... 441, 517
Trygodes simplicissima ... 88
Trygon pastinacoides ... 588
uarnacoides ... 588
uarnak ... 588, 611
Turbonilla (Chemnitzia) clarinda ... 264
(Mormula) ambusta ... 273
scammoneusis ... 272
(Pyrgiscus) callimene ... 271
castanella ... 271
grippi ... 270
tenicula ... 272
(Pyrgolampros) chocolata ... 268
gloriosa ... 268
halistrepta ... 270
keepi ... 269
macouni ... 268
painei ... 269
pesa ... 269, 270
rinella ... 270
talma ... 267
taylori ... 267
(Strioturbonilla) attrita ... 265
bakeri ... 265
cookeana ... 266
dinora ... 264
dracona ... 266
encella ... 265
gracilior ... 267
nicholsi ... 266
serrie ... 266
stearnsi ... 265
Tylodes cladotrichis ... 169
Tylosurus anastomella ... 409
giganteus ... 409, 494
Umbrina macroptera ... 606
russellii ... 607
Upeneoides bensasi ... 416, 503
sulphureus ... 416
tragula ... 416
tragulus ... 503
vittatus ... 503

Page.

Upeneus barberinoides ... 501
barberinus ... 501
chryserydros ... 502
cyclostomus ... 502
indicus ... 502
Upeneus moana ... 501
pleurospilos ... 502
pleurostigma ... 503
pleurotænia ... 501
sulphureus ... 607
sundaicus ... 607
tragula ... 607
vittatus ... 607
Uranoscopus bicinctus ... 446
japonicus ... 446
Urocampus rikuzenius ... 406
Urolophus fuscus ... 401
Vampyressa minuta ... 25
pusilla ... 25
Vampyrops helleri ... 25
Variola flavimarginata ... 498
louti ... 497
Velitor centropomus ... 434
Verasper moseri ... 439
variegatus ... 439
Verruca albatrossiana ... 292
intexta ... 292
kœhleri ... 293
nexa ... 293
Vlereck, H. L., Contributions to our knowledge of bees and Ichneumon-flies, including the descriptions of twenty-one new genera and fifty-seven new species of Ichneumon-flies ... 613
Descriptions of five new genera and twenty-six new species of Ichneumon-flies ... 139
Vipsophobetson denderis ... 98
Wasps, descriptions of certain species of ... 257
Weed, Alfred C., and Barton A. Bean, Notes on a collection of fishes from Java, made by Owen Bryant and William Palmer in 1909, with description of a new species ... 587
Weevils, notes and descriptions of some ... 185
Williams, Henry Shaler, Some new mollusca from the Silurian formations of Washington County, Maine ... 381
Wilson, Charles Branch, Descriptions of new species of parasitic copepods in the collections of the United States National Museum ... 233
Worm, a new discodrilid, from Colorado ... 481
Xenisthmus proriger ... 515
Xenosomina ... 161
Xesurus scalprum ... 423
Xylophrurides ... 646
agrili ... 646
Xystæma erythrourum ... 416
Xystrias grigorjewi ... 429
Zacales bryope ... 447
Zacco platypus ... 404
temmincki ... 404
Zacharops ... 646
Zachrœta insignis ... 746

	Page.
Zamanes	647
Zamesochorus	152
orientalis	152
Zamicrodus	630
sensilis	630
Zasternaniax	647
simplicicornis	647
Zebrias japonicus	440, 517
zebrinus	440
Zelomorpha (Zelomorphidea) melanota	630
Zelomorphidea	630
Zenarchopterus buffonis	595
dispar	595
Zeus gallus	600
Zezera hilgendorfi	404
Zoarchias veneficus	449
Zonogobius boreus	442
semidoliatus	442, 515

UNIV. OF MICHIGAN,

JUN 4 1913